

Bayshore Soil Management, LLC

75 Crows Mill Road ~ PO Box 290 ~ Keasbey, New Jersey 08832
 Phone: 732.738.6000 ~ Fax: 732.738.0620
 www.bayshorerecycling.com

| | | | | | | | | |
|------------------------------------|---------------------------|----------------------|-----------------------|---------------------|---------------------------|---------------------------------|----------------------|-----------------|
| TPH 8015 GRO/DRO or QAM-025* | Homeowners Cert Signed | Total VOC's 8260B | Total SVOC's 8270C | Total PCB's 8080 | Total Metals PPM 6010B | Sulfur See Sampling Below | Paint Filter 9095 | Mercury 7471 |
|------------------------------------|---------------------------|----------------------|-----------------------|---------------------|---------------------------|---------------------------------|----------------------|-----------------|

Petroleum Contaminated Soils

Residential Approval

| | | | | | | | | |
|--------------------------|----------------------------------|---|---|--|--|--|--|--|
| <input type="checkbox"/> | Residential Up to 20 Cubic Yards | X | X | | | | | |
| <input type="checkbox"/> | Residential Above 20 Cubic Yards | Follow Criteria Set Forth Under Commercial/Industrial Approval | | | | | | |

Commercial/Industrial Approval

| | | | | | | | | | |
|--------------------------|--|---|--|---|--|---|--|---|---|
| <input type="checkbox"/> | Approval Up to 100 Cubic Yards | X | | X | | X | | X | X |
| <input type="checkbox"/> | Per every 100 Cubic Yards after Approval | X | | | | | | | |
| <input type="checkbox"/> | Per every 800 Cubic Yards after Approval | X | | X | | X | | X | X |

Coal Tar / MGP Soils

| | | | | | | | | | |
|--------------------------|--|---|--|---|---|---|---|--|---|
| <input type="checkbox"/> | Approval (Up to 500 Cubic Yards) | X | | X | X | X | X | | X |
| <input type="checkbox"/> | Per every 500 Cubic Yards after Approval | X | | X | X | X | X | | X |

Sampling (See Note Below)

Petroleum Contaminated Soils

| | | | | | | | |
|--------|--|----|--|----|--|----|----|
| C5-100 | | C8 | | C8 | | C8 | C8 |
|--------|--|----|--|----|--|----|----|

Coal Tar / MGP Soils

| | | | | | | | |
|--------|--|--------|--------|--------|--------|--------|--------|
| C5-500 | | C5-500 | C5-500 | C5-500 | C5-500 | C5-500 | C5-500 |
|--------|--|--------|--------|--------|--------|--------|--------|

Sulfur: Accepted Methodologies: ASTM D129, ASTM 3176, 3177, 4239 and D2622 (Methods 426C,428A); EPA SW-846 6010B, or 6020
TPH: Accepted Methodologies for Diesel Range contamination: 8015 DRO, QAM-025; Gasoline range contamination: 8015 GRO

Sampling Note:

- C5-100: A "representative sample" of every 20 Cubic Yards composited for every 100 Cubic Yards
- C5-500: A "representative sample" of every 100 Cubic Yards composited for every 500 Cubic Yards
- C-8: A "representative sample" of every 100 Cubic Yard composited for every 800 Cubic Yards

- * Acceptance of all projects are subject to the completion and review of a completed "PROFILE SHEET", the criteria noted above, and approval as granted by Bayshore Soil Management, LLC.
- * Sampling analysis for "Historic Fill" will include parameters listed in the NJSCC and TPH
- * At the discretion of the facility, additional lab analysis may be required for project acceptance.
- * If analytical demonstrates an analyte concentration that exceeds the RCRA 20X's Rule, BSM will require a TCLP for the analyte prior to acceptance.